



品質管理用標準菌株

Epower™は、品質管理を目的として使用する凍結乾燥微生物製剤です。個別でも複数の Epower™を組み合わせて使用することも可能です。

保管温度: 2~8℃

Epower™セット内訳

- 単一微生物凍結乾燥ペレット: 10 ペレット
(希釈液は、用意されていません)

Epower™製品リスト

品番	属種
0687E2	Listeria monocytogenes derived from ATCC® 19115™
0254E2	Listeria monocytogenes Cornell University derived from Silliker® SLR2249
0795E2	Escherichia coli (O157:H7) derived from ATCC® 43888™
0814E2	Listeria innocua (6a) derived from ATCC® 33090™
0817E2	Salmonella enterica subsp. enterica serovar Abaetetuba derived from ATCC® 35640™
0443E3	Candida albicans derived from ATCC® 10231™
0998E3	Bacillus cereus derived from ATCC® 10876™
0487E3	Clostridium sporogenes derived from ATCC® 11437™
0371E3	Staphylococcus epidermidis derived from ATCC® 12228™
0306E3	Klebsiella aerogenes derived from ATCC® 13048™
0421E3	Salmonella enterica subsp. enterica serovar Typhimurium derived from ATCC® 13311™
0129E3	Listeria monocytogenes (4b) derived from ATCC® 13932™
0363E3	Salmonella enterica subsp. enterica serovar Typhimurium derived from ATCC® 14028™
0693E3	Pseudomonas aeruginosa derived from ATCC® 15442™
0794E3	Penicillium venetum derived from ATCC® 16025™
0392E3	Aspergillus brasiliensis derived from ATCC® 16404™
0277E3	Listeria monocytogenes (1) derived from ATCC® 19111™
0687E3	Listeria monocytogenes derived from ATCC® 19115™
0317E3	Clostridium sporogenes derived from ATCC® 19404™
0149E3	Lactococcus lactis subsp. lactis derived from ATCC® 19435™
0360E3	Staphylococcus aureus subsp. aureus derived from ATCC® 25923™
0698E3	Saccharomyces kudriavzevii derived from ATCC® 2601™
0353E3	Pseudomonas aeruginosa derived from ATCC® 27853™
0803E3	Zygosaccharomyces rouxii derived from ATCC® 28253™
0366E3	Enterococcus faecalis derived from ATCC® 29212™
0495E3	Escherichia coli derived from ATCC® 35218™

0756E3	<i>Cronobacter muytjensii</i> derived from ATCC® 51329™
0791E3	<i>Escherichia coli</i> derived from ATCC® 51813™
0485E3	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 6538™
0827E3	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 6538P™
0486E3	<i>Bacillus spizizenii</i> derived from ATCC® 6633™
0497E3	<i>Enterococcus faecalis</i> derived from ATCC® 7080™
0871E3	<i>Geobacillus stearothermophilus</i> derived from ATCC® 7953™
0483E3	<i>Escherichia coli</i> derived from ATCC® 8739™
0813E3	<i>Lactobacillus fermentum</i> derived from ATCC® 9338™
0688E3	<i>Kocuria rhizophila</i> derived from ATCC® 9341™
0699E3	<i>Saccharomyces cerevisiae</i> derived from ATCC® 9763™
0414E3	<i>Listeria innocua</i> derived from NCTC 11288
01192E3	<i>Escherichia coli</i> derived from NCTC 13216
0136E4	<i>Streptococcus salivarius</i> subsp. <i>thermophilus</i> ATCC® 19258™
0158E4	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 700699™
0360E4	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 25923™
0363E4	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar <i>Typhimurium</i> derived from ATCC® 14028™
0371E4	<i>Staphylococcus epidermidis</i> derived from ATCC® 12228™
0443E4	<i>Candida albicans</i> derived from ATCC® 10231™
0486E4	<i>Bacillus spizizenii</i> derived from ATCC® 6633™
0688E4	<i>Kocuria rhizophila</i> derived from ATCC® 9341™
0791E4	<i>Escherichia coli</i> derived from ATCC® 51813™
0803E4	<i>Zygosaccharomyces rouxii</i> derived from ATCC® 28253™
0353E6	<i>Pseudomonas aeruginosa</i> derived from ATCC® 27853™
0392E6	<i>Aspergillus brasiliensis</i> derived from ATCC® 16404™
0486E6	<i>Bacillus spizizenii</i> derived from ATCC® 6633™
01269E7	<i>Burkholderia cenocepacia</i> derived from ATCC® BAA-245™
01270E7	<i>Burkholderia multivorans</i> derived from ATCC® BAA-247™
0366E7	<i>Enterococcus faecalis</i> derived from ATCC® 29212™
0421E7	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar <i>Typhimurium</i> derived from ATCC® 13311™
0443E7	<i>Candida albicans</i> derived from ATCC® 10231™
0483E7	<i>Escherichia coli</i> derived from ATCC® 8739™
0484E7	<i>Pseudomonas paraaeruginosa</i> derived from ATCC® 9027™
0485E7	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 6538™
0488E7	<i>Burkholderia cepacia</i> derived from ATCC® 25416™
0684E7	<i>Klebsiella pneumoniae</i> subsp. <i>pneumoniae</i> derived from ATCC® 10031™
0890E7	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar <i>Abony</i> derived from NCTC 6017
0371E8	<i>Staphylococcus epidermidis</i> derived from ATCC® 12228™
0388E8	<i>Enterobacter cloacae</i> subsp. <i>cloacae</i> derived from ATCC® 35030™



* ATCC Licensed Derivative®のロゴ、マーク、ATCC のカタログマークは、ATCC の登録商標です。
Microbiologics, Inc. は これらの商標の使用と、ATCC® カルチャーから派生した製品販売の許諾を受けています。

* Microbiologics® は、Microbiologics, Inc. Saint Cloud, Minnesota の登録商標です。

* EZ-Accu Shot™, EZ-Accu Shot™ Select, EZ-CFU™, EZ-CFU™ One Step は、アメリカ合衆国及びその他各国で、Microbiologics, Inc. の商標です。



エンバイオ株式会社
<http://www.enbio-japan.co.jp>