

## KWIK-STIK™



### 培地性能試験用

KWIK-STIK™は、単一微生物株の凍結乾燥ペレット、水和液、接種用スワブで構成されるアンプル入キットで、培地の品質管理、教育用などに適しています。KWIK-STIK™の微生物は参照より4継代以内ですので、精度管理にも適しています。

ラベルを剥がして、作成文書などに添付することができます。

保管温度： 2～8℃

KWIK-STIK™セット内訳 (価格はお問い合わせください。)

- 単一微生物凍結乾燥ペレット : 6ペレット
- 水和液
- スワブ

## KWIK-STIK™製品リスト

品番	属種
01000K	Enterococcus faecium derived from ATCC® 700221™
01003K	Legionella longbeachae derived from ATCC® 33462™
01005K	Klebsiella pneumoniae derived from ATCC® BAA-1705™
01006K	Klebsiella pneumoniae derived from ATCC® BAA-1706™
01007K	Staphylococcus aureus derived from ATCC® BAA-1708™
01008K	Bacillus badius derived from ATCC® 14574™
01009K	Pseudomonas aeruginosa derived from ATCC® 9721™
01010K	Pseudomonas aeruginosa derived from ATCC® BAA-1744™
01011K	Zygosaccharomyces parabailii derived from ATCC® MYA-4549™
01012K	Hanseniaspora valbyensis derived from ATCC® 58370™
01013K	Sporidiobolus salmonicolor derived from ATCC® MYA-4550™
01018K	Enterobacter cloacae subsp. cloacae derived from ATCC® BAA-1143™
01019K	Klebsiella pneumoniae derived from ATCC® BAA-1144™
0101K	Streptococcus equi subsp. zooepidemicus derived from ATCC® 43079™
01020K	Stenotrophomonas maltophilia derived from ATCC® 13636™
01021K	Aspergillus fumigatus derived from ATCC® 204305™
01022K	Staphylococcus aureus subsp. aureus derived from ATCC® 700698™
01023K	Campylobacter coli derived from ATCC® 33559™
01024K	Haemophilus influenzae derived from NCTC 8468
01025K	Bifidobacterium bifidum derived from ATCC® 11863™
01026K	Desulfotomaculum nigrificans derived from ATCC® 7946™
01035K	Staphylococcus saprophyticus derived from ATCC® 35552™
01036K	Candida tropicalis derived from ATCC® 1369™
01037K	Escherichia coli derived from ATCC® 15597™
01038K	Arcanobacterium haemolyticum derived from ATCC® BAA-1784™
01039K	Corynebacterium urealyticum derived from ATCC® 43044™

品番	属種
01040K	<i>Corynebacterium renale</i> derived from ATCC® BAA-1785™
01042K	<i>Microbacterium liquefaciens</i> derived from ATCC® BAA-1819™
01044K	<i>Curtobacterium pusillum</i> derived from ATCC® 19096™
01045K	<i>Salmonella enterica</i> subsp. <i>diarizonae</i> derived from ATCC® 29934™
01046K	<i>Cellulosimicrobium cellulans</i> derived from ATCC® BAA-1816™
01047K	<i>Cellulosimicrobium cellulans</i> derived from ATCC® BAA-1817™
01048K	<i>Clostridioides difficile</i> derived from ATCC® BAA-1870™
01049K	<i>Mycobacterium haemophilum</i> derived from ATCC® 29548™
0104K	<i>Streptococcus agalactiae</i> (B,III) derived from ATCC® 12403™
01050K	<i>Escherichia coli</i> derived from ATCC® 10799™
01051K	<i>Cryptococcus gattii</i> derived from ATCC® MYA-4560™*
01052K	<i>Enterococcus faecium</i> derived from ATCC® 6057™
01054K	<i>Salmonella enterica</i> subsp. <i>diarizonae</i> derived from ATCC® 12325™
01055K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® BAA-44™
01056K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar <i>Bispebjerg</i> derived from ATCC® 9842™
01057K	<i>Acinetobacter baumannii</i> derived from ATCC® BAA-1605™
0105K	<i>Streptococcus agalactiae</i> derived from ATCC® BAA-611™
01060K	<i>Klebsiella pneumoniae</i> derived from ATCC® BAA-2146™
01062K	<i>Escherichia coli</i> derived from NCTC 8622
01063K	<i>Cryptococcus gattii</i> (B) derived from ATCC® 34877™
01065K	<i>Staphylococcus aureus</i> derived from NCTC 12493
01066K	<i>Saccharomyces cerevisiae</i> derived from ATCC® 18824™
01068K	<i>Staphylococcus epidermidis</i> derived from ATCC® 51625™
0106K	<i>Citrobacter koseri</i> derived from ATCC® 27156™
01075K	<i>Pediococcus pentosaceus</i> derived from ATCC® 33316™
01076K	<i>Vibrio vulnificus</i> derived from ATCC® 27562™
01077K	<i>Streptococcus anginosus</i> derived from ATCC® 33397™
01078K	<i>Pseudomonas aeruginosa</i> derived from ATCC® 13388™
01081K	<i>Aureobasidium pullulans</i> var. <i>melanigenum</i> derived from ATCC® 15233™
01085K	<i>Escherichia coli</i> derived from NCTC 13351
01087K	<i>Salmonella enterica</i> subsp. <i>salamae</i> serotype <i>Tranoroa</i> derived from NCTC 10252
01088K	<i>Cronobacter sakazakii</i> derived from ATCC® 29544™
01089K	<i>Enterococcus faecalis</i> derived from ATCC® 51575™
01090K	<i>Lactobacillus rhamnosus</i> derived from ATCC® 53103™
01092K	<i>Bifidobacterium animalis</i> subsp. <i>animalis</i> derived from ATCC® 25527™
01094K	<i>Chaetomium globosum</i> derived from ATCC® 6205™
01095K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar <i>Newport</i> derived from ATCC® 6962™
01097K	<i>Escherichia coli</i> (O145:NM) derived from CDC 99-3311- EXPORT LICENSE
01098K	<i>Escherichia coli</i> (O45:H2) derived from CDC 00-3039- EXPORT LICENSE
01099K	<i>Escherichia coli</i> (O121:H19) derived from CDC 02-3211- EXPORT LICENSE
01100K	<i>Escherichia coli</i> (O26:H11) derived from CDC 03-3014- EXPORT LICENSE
01101K	<i>Escherichia coli</i> (O103:H11) derived from CDC 06-3008- EXPORT LICENSE
01102K	<i>Escherichia coli</i> (O111:H8) derived from CDC 2010C-3114- EXPORT LICENSE

品番	属種
01103K	Salmonella enterica subsp. enterica serovar Enteritidis derived from ATCC® 49223™
01104K	Escherichia coli (O104:H4) derived from ATCC® BAA-2326™- EXPORT LICENSE
01105K	Enterobacter cloacae derived from NCTC 13464
01108K	Corynebacterium jeikeium derived from ATCC® 43734™
0110K	Prevotella melaninogenica derived from ATCC® 25845™
01110K	Methylobacterium extorquens derived from ATCC® BAA-2500™
01111K	Enterobacter cloacae derived from NCTC 13406
01112K	Klebsiella pneumoniae derived from NCTC 13440
01113K	Escherichia coli derived from ATCC® BAA-2469™
01117K	Klebsiella pneumoniae derived from NCTC 13438
0111K	Campylobacter jejuni subsp. jejuni derived from ATCC® 33560™
01122K	Staphylococcus aureus derived from ATCC® BAA-2312™
0112K	Mycobacterium tuberculosis derived from ATCC® 25177™
01130K	Aspergillus brasiliensis derived from ATCC® 9642™
01132K	Campylobacter lari derived from ATCC® 35221™
01133K	Penicillium citrinum derived from ATCC® 9849™
01134K	Alternaria species derived from ATCC® 20084™
01136K	Escherichia coli derived from NCTC 13476
01139K	Candida dubliniensis derived from NCPF 3949
0113K	Staphylococcus aureus subsp. aureus derived from ATCC® 9144™
01140K	Aspergillus caesiellus derived from ATCC® 42693™
01141K	Wallemia mellicola derived from ATCC® 42694™
01142K	Mucor racemosus derived from ATCC® 42647™
01143K	Enterococcus faecium derived from NCTC 12204
01144K	Lactobacillus plantarum subsp. plantarum derived from ATCC® 14917™
01148K	Klebsiella pneumoniae derived from NCTC 13442
01149K	Mycobacterium avium derived from ATCC® 700898™
0114K	Mycobacterium smegmatis derived from ATCC® 607™
01150K	Staphylococcus lugdunensis derived from NCTC 7990
01152K	Proteus vulgaris derived from ATCC® 29905™
01159K	Ralstonia pickettii derived from ATCC® 27511™
01160K	Eurotium rubrum derived from ATCC® 42690™
01167K	Brevundimonas vesicularis derived from ATCC® 11426™
01169K	Citrobacter freundii derived from ATCC® 8454™
0116K	Bacillus megaterium derived from ATCC® 9885™
01170K	Salmonella enterica subsp. enterica serovar Paratyphi B derived from ATCC® 8759™
01171K	Haemophilus parainfluenzae derived from ATCC® 9796™
01172K	Cryptococcus neoformans derived from ATCC® 13690™
01173K	Cryptococcus neoformans (D) derived from ATCC® 36556™
01175K	Aggregatibacter actinomycetemcomitans (b) derived from ATCC® 29522™
01181K	Methylobacterium organophilum derived from ATCC® 27886™
01182K	Aspergillus flavus derived from ATCC® 9643™

品番	属種
01184K	<i>Deinococcus radiophilus</i> derived from ATCC® 27603™
01185K	<i>Candida kefyr</i> derived from ATCC® 8553™
01186K	<i>Chryseobacterium indologenes</i> derived from ATCC® 29897™
01187K	<i>Prevotella intermedia</i> derived from ATCC® 25611™
01188K	<i>Clostridium sporogenes</i> derived from ATCC® 9690™
01189K	<i>Staphylococcus epidermidis</i> derived from ATCC® 35984™
01190K	<i>Listeria monocytogenes</i> derived from ATCC® 35152™
01192K	<i>Escherichia coli</i> derived from NCTC 13216
01193K	<i>Escherichia coli</i> derived from NCTC 13167
01195K	<i>Legionella anisa</i> derived from ATCC® 35292™
01196K	<i>Clostridium bifermentans</i> derived from NCTC 506
01197K	<i>Ralstonia pickettii</i> derived from ATCC® 700591™
0119K	<i>Acinetobacter baumannii</i> derived from ATCC® BAA-747™
01200K	<i>Penicillium rubens</i> derived from ATCC® 11709™
01202K	<i>Enterobacter cloacae</i> derived from ATCC® BAA-2341™
01204K	<i>Escherichia coli</i> (O157:H7) derived from ATCC® 43890™- EXPORT LICENSE
01209K	<i>Shigella boydii</i> (2) derived from ATCC® 8700™
0120K	<i>Bacillus subtilis</i> subsp. <i>subtilis</i> derived from ATCC® 6051™
01214K	<i>Vibrio vulnificus</i> derived from ATCC® 29307™
01215K	<i>Proteus mirabilis</i> derived from ATCC® 29906™
0121K	<i>Campylobacter coli</i> derived from ATCC® 43478™
01229K	<i>Escherichia coli</i> derived from ATCC® BAA-2523™
0122K	<i>Candida glabrata</i> derived from ATCC® MYA-2950™
01233K	<i>Escherichia coli</i> derived from ATCC® 51739™
01234K	<i>Streptococcus agalactiae</i> (III) derived from ATCC® BAA-22™
01235K	<i>Shigella dysenteriae</i> derived from ATCC® 13313™- EXPORT LICENSE
01236K	<i>Vibrio parahaemolyticus</i> (o2:k3) derived from NCTC 10885
01237K	<i>Campylobacter fetus</i> subsp. <i>fetus</i> derived from ATCC® 27374™
01238K	<i>Talaromyces pinophilus</i> derived from ATCC® 11797™
0123K	<i>Clostridium perfringens</i> derived from ATCC® 12916™
01242K	<i>Escherichia coli</i> derived from ATCC® BAA-2452™
01244K	<i>Escherichia coli</i> derived from NCTC 13846
01247K	<i>Klebsiella pneumoniae</i> subsp. <i>pneumoniae</i> derived from ATCC® BAA-2524™
01256K	<i>Candida auris</i> derived from CDC B11903
01257K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serotype Nottingham derived from NCTC7832
01259K	<i>Escherichia coli</i> derived from CDC AR-0346
01260K	<i>Enterococcus faecium</i> derived from ATCC® 8459™
01261K	<i>Escherichia coli</i> derived from ATCC® BAA-1429™
01262K	<i>Lactobacillus brevis</i> derived from ATCC® 14869™
01263K	<i>Klebsiella pneumoniae</i> derived from ATCC® BAA-2814™
01264K	<i>Aspergillus terreus</i> derived from ATCC® 1012™
01265K	<i>Escherichia coli</i> derived from NCTC 13353
01266K	<i>Acinetobacter baumannii</i> derived from NCTC 13304

品番	属種
01269K	Burkholderia cenocepacia derived from ATCC® BAA-245™
0126K	Kocuria kristinae derived from ATCC® BAA-752™
01270K	Burkholderia multivorans derived from ATCC® BAA-247™
01272K	Lactobacillus johnsonii derived from ATCC® 11506™
0127K	Lactobacillus gasseri derived from ATCC® 19992™
0128K	Lactobacillus sakei subsp. sakei derived from ATCC® 15521™
0129K	Listeria monocytogenes (4b) derived from ATCC® 13932™
0130K	Listeria monocytogenes derived from ATCC® BAA-751™
0131K	Neisseria mucosa derived from ATCC® 49233™
0132K	Ochrobactrum anthropi derived from ATCC® BAA-749™
0134K	Staphylococcus saprophyticus derived from ATCC® BAA-750™
0135K	Stenotrophomonas maltophilia derived from ATCC® 49130™
0136K	Streptococcus salivarius subsp. thermophilus derived from ATCC® 19258™
0139K	Brevibacillus agri derived from ATCC® 51663™
0140K	Bacillus paranthracis derived from ATCC® 61™
0141K	Aneurinibacillus aneurinilyticus derived from ATCC® 11376™
0142K	Paenibacillus macerans derived from ATCC® 8509™
0143K	Rhodotorula mucilaginosa derived from ATCC® 66034™
0144K	Brevibacillus laterosporus derived from ATCC® 64™
0146K	Staphylococcus aureus subsp. aureus derived from ATCC® BAA-976™
0147K	Staphylococcus aureus subsp. aureus derived from ATCC® BAA-977™
0149K	Lactococcus lactis subsp. lactis derived from ATCC® 19435™
0152K	Lactococcus cremoris derived from ATCC® 19257™
0153K	Corynebacterium xerosis derived from ATCC® 373™
0154K	Listeria monocytogenes derived from ATCC® 19118™
0157K	Mycobacterium intracellulare derived from ATCC® 13950™
0158K	Staphylococcus aureus subsp. aureus derived from ATCC® 700699™
0159K	Staphylococcus aureus subsp. aureus derived from ATCC® 51740™
0164K	Chryseobacterium shigense derived from ATCC® 51823™
0165K	Hafnia alvei derived from ATCC® 51815™
0167K	Klebsiella oxytoca derived from ATCC® 51817™
0168K	Pseudomonas brenneri derived from ATCC® 49642™
0169K	Herminiimonas species derived from ATCC® 49643™
0170K	Cutibacterium acnes derived from ATCC® 6919™
0172K	Geobacillus stearothermophilus derived from ATCC® 10149™
0173K	Staphylococcus aureus subsp. aureus derived from ATCC® 12600™
0175K	Bifidobacterium breve derived from ATCC® 15700™
0176K	Lactobacillus casei derived from ATCC® 393™
0177K	Aspergillus oryzae derived from ATCC® 10124™
0178K	Penicillium chrysogenum derived from ATCC® 10106™
0179K	Staphylococcus aureus derived from ATCC® BAA-1026™
0180K	Salmonella enterica subsp. enterica serovar Typhimurium derived from ATCC® 51812™
0181K	Enterococcus faecalis derived from ATCC® 14506™

品番	属種
0182K	<i>Pseudomonas aeruginosa</i> derived from ATCC® 35554™
0184K	<i>Aggregatibacter aphrophilus</i> derived from ATCC® 33389™
0185K	<i>Haemophilus influenzae</i> derived from ATCC® 9007™
0188K	<i>Campylobacter jejuni</i> subsp. <i>jejuni</i> derived from ATCC® BAA-1153™
0189K	<i>Eikenella corrodens</i> derived from ATCC® BAA-1152™
0191K	<i>Raoultella terrigena</i> derived from ATCC® 33257™
0196K	<i>Klebsiella aerogenes</i> derived from ATCC® 51697™
0197K	<i>Enterococcus faecalis</i> derived from ATCC® 33186™
0198K	<i>Bacillus cereus</i> derived from ATCC® 33019™
0199K	<i>Pseudomonas aeruginosa</i> derived from ATCC® 19429™
0200K	<i>Bacillus cereus</i> derived from ATCC® 14579™
0201K	<i>Bacillus megaterium</i> derived from ATCC® 14581™
0203K	<i>Escherichia coli</i> derived from ATCC® 23848™
0204K	<i>Escherichia coli</i> (JM101) derived from ATCC® 33876™
0205K	<i>Lactococcus lactis</i> subsp. <i>lactis</i> derived from ATCC® 11454™
0207K	<i>Penicillium rubens</i> derived from ATCC® 9179™
0208K	<i>Rhizopus stolonifer</i> (-) derived from ATCC® 6227a™
0209K	<i>Rhizopus stolonifer</i> (+) derived from ATCC® 6227b™
0211K	<i>Legionella pneumophila</i> subsp. <i>pneumophila</i> derived from ATCC® 33152™
0212K	<i>Legionella bozemanii</i> derived from ATCC® 33217™
0215K	<i>Morganella morganii</i> subsp. <i>morganii</i> derived from ATCC® 25829™
0217K	<i>Staphylococcus lugdunensis</i> derived from ATCC® 49576™
0218K	<i>Micrococcus yunnanensis</i> derived from ATCC® 7468™
0221K	<i>Streptococcus equi</i> subsp. <i>equi</i> derived from ATCC® 33398™
0223K	<i>Enterococcus saccharolyticus</i> derived from ATCC® 43076™
0227K	<i>Issatchenkia orientalis</i> derived from ATCC® 6258™
0228K	<i>Paenibacillus polymyxa</i> derived from ATCC® 43865™
0229K	<i>Citrobacter freundii</i> derived from ATCC® 43864™
0231K	<i>Escherichia coli</i> derived from ATCC® 700728™
0232K	<i>Listeria monocytogenes</i> derived from ATCC® 19112™
0233K	<i>Lactobacillus rhamnosus</i> derived from ATCC® 7469™
0234K	<i>Lactobacillus plantarum</i> derived from ATCC® 8014™
0235K	<i>Lactobacillus leichmannii</i> derived from ATCC® 7830™
0237K	<i>Streptococcus salivarius</i> derived from ATCC® 13419™
0241K	<i>Pseudomonas fluorescens</i> derived from ATCC® 13525™
0242K	<i>Micrococcus luteus</i> derived from ATCC® 4698™
0243K	<i>Lactobacillus acidophilus</i> derived from ATCC® 4356™
0245K	<i>Aspergillus niger</i> derived from ATCC® 16888™
0246K	<i>Staphylococcus haemolyticus</i> derived from ATCC® 29970™
0247K	<i>Serratia marcescens</i> derived from ATCC® 13880™
0248K	<i>Moraxella catarrhalis</i> derived from ATCC® 23246™
0249K	<i>Aggregatibacter aphrophilus</i> derived from ATCC® 49917™
0250K	<i>Candida albicans</i> derived from ATCC® 90029™
0251K	<i>Campylobacter jejuni</i> subsp. <i>jejuni</i> derived from ATCC® 49943™

品番	属種
0253K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Typhimurium derived from ATCC® 25241™
0254K	<i>Listeria monocytogenes</i> Cornell University derived from Silliker® SLR2249
0255K	<i>Zygosaccharomyces rouxii</i> derived from NCYC 381
0256K	<i>Bacillus cereus</i> derived from ATCC® 11778™
0257K	<i>Clostridium perfringens</i> derived from ATCC® 3624™
0258K	<i>Bacillus pumilus</i> derived from ATCC® 14884™
0259K	<i>Pediococcus acidilactici</i> derived from ATCC® 8042™
0260K	<i>Arthrobacter psychrolactophilus</i> derived from ATCC® 700733™
0261K	<i>Klebsiella variicola</i> derived from ATCC® 31488™
0262K	<i>Serratia marcescens</i> derived from ATCC® 43862™
0263K	<i>Aerococcus viridans</i> derived from ATCC® 10400™
0264K	<i>Candida albicans</i> derived from ATCC® 90028™
0265K	<i>Alicyclobacillus acidoterrestris</i> derived from ATCC® 49025™
0266K	<i>Streptococcus mutans</i> derived from ATCC® 25175™
0267K	<i>Streptococcus pneumoniae</i> derived from ATCC® 700677™
0269K	<i>Bacillus subtilis</i> derived from ATCC® 11774™
0270K	<i>Bacillus thuringiensis</i> derived from ATCC® 10792™
0272K	<i>Mycobacterium terrae</i> derived from ATCC® 15755™
0274K	<i>Sphingomonas paucimobilis</i> derived from ATCC® 29837™
0276K	<i>Aerococcus viridans</i> derived from ATCC® 11563™
0277K	<i>Listeria monocytogenes</i> derived from ATCC® 19111™
0290K	<i>Aeromonas salmonicida</i> derived from ATCC® 7965™
0291K	<i>Cryptococcus neoformans</i> derived from ATCC® 14116™
0293K	<i>Corynebacterium renale</i> derived from ATCC® 19412™
0294K	<i>Cellulosimicrobium cellulans</i> derived from ATCC® 27402™
0295K	<i>Microbacterium testaceum</i> derived from ATCC® 15829™
0296K	<i>Paenibacillus polymyxa</i> derived from ATCC® 7070™
0299K	<i>Listeria ivanovii</i> subsp. <i>londoniensis</i> derived from ATCC® BAA-139™
0300K	<i>Proteus vulgaris</i> derived from ATCC® 33420™
0303K	<i>Shigella sonnei</i> derived from ATCC® 25931™
0306K	<i>Klebsiella aerogenes</i> derived from ATCC® 13048™
0310K	<i>Proteus mirabilis</i> derived from NCIMB 13283
0312K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from NCIMB 12702
0313K	<i>Enterobacter cloacae</i> subsp. <i>cloacae</i> derived from ATCC® 23355™
0315K	<i>Citrobacter freundii</i> derived from ATCC® 8090™
0316K	<i>Yersinia enterocolitica</i> subsp. <i>enterocolitica</i> derived from ATCC® 23715™
0317K	<i>Clostridium sporogenes</i> derived from ATCC® 19404™
0318K	<i>Clostridium perfringens</i> derived from ATCC® 13124™
0319K	<i>Bacteroides thetaiotaomicron</i> derived from ATCC® 29741™
0320K	<i>Bacteroides fragilis</i> derived from ATCC® 25285™
0321K	<i>Proteus mirabilis</i> derived from ATCC® 29245™
0322K	<i>Peptostreptococcus anaerobius</i> derived from ATCC® 27337™
0323K	<i>Enterobacter cloacae</i> subsp. <i>cloacae</i> derived from ATCC® 13047™

品番	属種
0324K	<i>Myroides odoratus</i> derived from ATCC® 4651™
0325K	<i>Campylobacter jejuni</i> subsp. <i>jejuni</i> derived from ATCC® 29428™
0327K	<i>Clostridium histolyticum</i> derived from ATCC® 19401™
0328K	<i>Fusobacterium nucleatum</i> subsp. <i>nucleatum</i> derived from ATCC® 25586™
0329K	<i>Clostridioides difficile</i> derived from ATCC® 9689™
0330K	<i>Bacillus cereus</i> derived from NCIMB 7464
0331K	<i>Paeniclostridium sordellii</i> derived from ATCC® 9714™
0332K	<i>Candida albicans</i> derived from ATCC® 14053™
0333K	<i>Papiliotrema laurentii</i> derived from ATCC® 18803™
0334K	<i>Cryptococcus neoformans</i> derived from ATCC® 32045™
0335K	<i>Escherichia coli</i> derived from ATCC® 25922™
0336K	<i>Enterococcus faecalis</i> derived from NCIMB 13280
0338K	<i>Haemophilus influenzae</i> derived from ATCC® 33533™
0341K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Paratyphi A derived from ATCC® 9150™
0343K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Choleraesuis derived from ATCC® 7001™
0345K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Enteritidis derived from ATCC® 13076™
0346K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Anatum derived from ATCC® 9270™
0348K	<i>Shigella flexneri</i> derived from ATCC® 9199™
0349K	<i>Shigella boydii</i> derived from ATCC® 9207™
0350K	<i>Shigella sonnei</i> derived from ATCC® 29930™
0351K	<i>Klebsiella pneumoniae</i> subsp. <i>pneumoniae</i> derived from ATCC® 13883™
0352K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 33862™
0353K	<i>Pseudomonas aeruginosa</i> derived from ATCC® 27853™
0354K	<i>Serratia marcescens</i> derived from ATCC® 8100™
0355K	<i>Proteus hauseri</i> derived from ATCC® 13315™
0356K	<i>Shigella flexneri</i> derived from ATCC® 12022™
0357K	<i>Acinetobacter baumannii</i> derived from ATCC® 19606™
0358K	<i>Bacteroides fragilis</i> derived from NCTC 9343
0360K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 25923™
0363K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Typhimurium derived from ATCC® 14028™
0365K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 29213™
0366K	<i>Enterococcus faecalis</i> derived from ATCC® 29212™
0367K	<i>Enterococcus faecalis</i> derived from ATCC® 19433™
0369K	<i>Stenotrophomonas maltophilia</i> derived from ATCC® 13637™
0370K	<i>Streptococcus agalactiae</i> derived from ATCC® 13813™
0371K	<i>Staphylococcus epidermidis</i> derived from ATCC® 12228™
0375K	<i>Neisseria gonorrhoeae</i> derived from ATCC® 31426™
0376K	<i>Haemophilus influenzae</i> derived from ATCC® 19418™
0377K	<i>Haemophilus parahaemolyticus</i> derived from ATCC® 10014™
0378K	<i>Neisseria gonorrhoeae</i> derived from ATCC® 19424™



品番	属種
0379K	<i>Candida albicans</i> derived from NCYC 1363
0380K	<i>Streptococcus pneumoniae</i> derived from ATCC® 6303™
0383K	<i>Streptococcus mitis</i> derived from NCIMB 13770
0384K	<i>Providencia stuartii</i> derived from ATCC® 33672™
0385K	<i>Streptococcus pyogenes</i> derived from ATCC® 19615™
0388K	<i>Enterobacter cloacae</i> subsp. <i>cloacae</i> derived from ATCC® 35030™
0389K	<i>Streptococcus anginosus</i> derived from NCTC 10713
0391K	<i>Streptococcus gallolyticus</i> derived from ATCC® 9809™
0392K	<i>Aspergillus brasiliensis</i> derived from ATCC® 16404™
0393K	<i>Proteus vulgaris</i> derived from NCTC 4636
0398K	<i>Listeria monocytogenes</i> derived from ATCC® 7644™
0399K	<i>Klebsiella aerogenes</i> derived from ATCC® 35029™
0400K	<i>Bacteroides ovatus</i> derived from ATCC® 8483™
0402K	<i>Alcaligenes faecalis</i> subsp. <i>faecalis</i> derived from ATCC® 8750™
0403K	<i>Moraxella catarrhalis</i> derived from ATCC® 25240™
0404K	<i>Neisseria meningitidis</i> derived from ATCC® 13102™
0405K	<i>Neisseria lactamica</i> derived from ATCC® 23970™
0406K	<i>Neisseria sicca</i> derived from ATCC® 9913™
0407K	<i>Fusobacterium necrophorum</i> subsp. <i>necrophorum</i> derived from ATCC® 25286™
0409K	<i>Finegoldia magna</i> derived from ATCC® 29328™
0410K	<i>Gardnerella vaginalis</i> derived from ATCC® 14018™
0411K	<i>Aggregatibacter aphrophilus</i> derived from ATCC® 7901™
0412K	<i>Staphylococcus epidermidis</i> derived from ATCC® 14990™
0414K	<i>Listeria innocua</i> derived from NCTC 11288
0416K	<i>Pseudomonas aeruginosa</i> derived from ATCC® 10145™
0419K	<i>Cutibacterium acnes</i> derived from ATCC® 11827™
0421K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Typhimurium derived from ATCC® 13311™
0422K	<i>Escherichia coli</i> derived from ATCC® 35421™
0423K	<i>Streptococcus oralis</i> derived from ATCC® 6249™
0425K	<i>Candida albicans</i> derived from ATCC® 60193™
0426K	<i>Neisseria gonorrhoeae</i> derived from ATCC® 43070™
0429K	<i>Neisseria gonorrhoeae</i> derived from ATCC® 43069™
0431K	<i>Paenibacillus larvae</i> subsp. <i>larvae</i> derived from ATCC® 9545™
0432K	<i>Proteus mirabilis</i> derived from ATCC® 43071™
0433K	<i>Escherichia coli</i> derived from ATCC® 4157™
0435K	<i>Streptococcus pneumoniae</i> derived from ATCC® 27336™
0436K	<i>Streptococcus agalactiae</i> derived from ATCC® 27956™
0438K	<i>Haemophilus influenzae</i> derived from ATCC® 43065™
0439K	<i>Streptococcus agalactiae</i> derived from ATCC® 12386™
0440K	<i>Proteus mirabilis</i> derived from ATCC® 12453™
0441K	<i>Haemophilus influenzae</i> (B) derived from ATCC® 10211™
0442K	<i>Trichophyton interdigitale</i> derived from ATCC® 9533™
0443K	<i>Candida albicans</i> derived from ATCC® 10231™

品番	属種
0444K	<i>Trichophyton rubrum</i> derived from ATCC® 28188™
0445K	<i>Phocaecicola vulgatus</i> derived from ATCC® 8482™
0446K	<i>Shigella sonnei</i> derived from ATCC® 9290™
0447K	<i>Streptococcus pneumoniae</i> derived from ATCC® 6305™
0450K	<i>Candida tropicalis</i> derived from ATCC® 13803™
0453K	<i>Neisseria meningitidis</i> derived from ATCC® 13077™
0454K	<i>Neisseria meningitidis</i> derived from ATCC® 13090™
0458K	<i>Klebsiella pneumoniae</i> subsp. <i>pneumoniae</i> derived from ATCC® 13882™
0459K	<i>Proteus vulgaris</i> derived from ATCC® 6380™
0462K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 11632™
0463K	<i>Streptococcus bovis</i> derived from ATCC® 33317™
0464K	<i>Neisseria sicca</i> derived from ATCC® 29193™
0465K	<i>Escherichia coli</i> derived from ATCC® 11775™
0468K	<i>Acinetobacter lwoffii</i> derived from ATCC® 15309™
0469K	<i>Streptococcus pneumoniae</i> derived from NCIMB 13286
0472K	<i>Enterococcus faecalis</i> derived from NCTC 775
0473K	<i>Paenibacillus gordonae</i> derived from ATCC® 29948™
0474K	<i>Bacillus pumilus</i> derived from ATCC® BAA-1434™
0475K	<i>Moraxella osloensis</i> derived from ATCC® 10973™
0476K	<i>Haemophilus influenzae</i> derived from ATCC® 43163™
0478K	<i>Citrobacter braakii</i> derived from ATCC® 43162™
0481K	<i>Campylobacter jejuni</i> subsp. <i>jejuni</i> derived from ATCC® 33291™
0483K	<i>Escherichia coli</i> derived from ATCC® 8739™
0484K	<i>Pseudomonas paraeruginosa</i> derived from ATCC® 9027™
0485K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 6538™
0486K	<i>Bacillus spizizenii</i> derived from ATCC® 6633™
0487K	<i>Clostridium sporogenes</i> derived from ATCC® 11437™
0488K	<i>Burkholderia cepacia</i> derived from ATCC® 25416™
0489K	<i>Bordetella pertussis</i> derived from ATCC® 8467™
0494K	<i>Staphylococcus saprophyticus</i> derived from ATCC® 15305™
0495K	<i>Escherichia coli</i> derived from ATCC® 35218™
0496K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 33591™
0497K	<i>Enterococcus faecalis</i> derived from ATCC® 7080™
0500K	<i>Aspergillus niger</i> derived from ATCC® 6275™
0501K	<i>Salmonella enterica</i> subsp. <i>enterica</i> derived from ATCC® 51741™
0502K	<i>Escherichia coli</i> derived from ATCC® 11303™
0506K	<i>Serratia marcescens</i> derived from ATCC® 14041™
0508K	<i>Streptococcus pyogenes</i> derived from ATCC® 12344™
0510K	<i>Candida krusei</i> derived from ATCC® 34135™
0511K	<i>Acetobacter aceti</i> derived from ATCC® 15973™
0513K	<i>Mycobacterium fortuitum</i> subsp. <i>fortuitum</i> derived from ATCC® 6841™
0514K	<i>Mycobacterium smegmatis</i> derived from ATCC® 19420™
0519K	<i>Galactomyces candidus</i> derived from ATCC® 34614™
0520K	<i>Candida geochares</i> derived from ATCC® 36852™

品番	属種
0522K	<i>Mycobacterium avium</i> subsp. <i>avium</i> derived from ATCC® 15769™
0524K	<i>Pseudomonas protegens</i> (G) derived from ATCC® 17386™
0527K	<i>Clostridioides difficile</i> derived from ATCC® 700057™
0530K	<i>Klebsiella oxytoca</i> derived from ATCC® 13182™
0531K	<i>Fusarium keratoplasticum</i> derived from ATCC® 36031™
0533K	<i>Staphylococcus capitis</i> derived from ATCC® 146™
0534K	<i>Saccharomyces cerevisiae</i> derived from ATCC® 4098™
0537K	<i>Cladosporium cladosporioides</i> derived from ATCC® 16022™
0539K	<i>Bacillus thuringiensis</i> derived from ATCC® 33679™
0540K	<i>Bacillus spizizenii</i> derived from ATCC® 19659™
0543K	<i>Escherichia coli</i> derived from ATCC® 14169™
0544K	<i>Mycobacterium avium</i> subsp. <i>avium</i> derived from ATCC® 25291™
0545K	<i>Mycobacterium kansasii</i> derived from ATCC® 12478™
0546K	<i>Lactobacillus paracasei</i> derived from ATCC® 334™
0547K	<i>Clostridium perfringens</i> derived from NCTC 8678
0571K	<i>Staphylococcus epidermidis</i> derived from NCIMB 8853
0572K	<i>Clostridium perfringens</i> derived from NCTC 8237
0574K	<i>Citrobacter freundii</i> derived from NCTC 9750
0576K	<i>Pseudomonas aeruginosa</i> derived from NCIMB 8626
0577K	<i>Bacillus pumilus</i> derived from ATCC® 700814™
0578K	<i>Citrobacter braakii</i> derived from ATCC® 51113™
0580K	<i>Clostridium sporogenes</i> derived from NCIMB 12343
0583K	<i>Corynebacterium striatum</i> derived from ATCC® BAA-1293™
0584K	<i>Parabacteroides distasonis</i> derived from ATCC® BAA-1295™
0585K	<i>Bacteroides ovatus</i> derived from ATCC® BAA-1296™
0586K	<i>Clostridium septicum</i> derived from ATCC® 12464™
0587K	<i>Bacteroides ovatus</i> derived from ATCC® BAA-1304™
0595K	<i>Salmonella bongori</i> derived from ATCC® 43975™
0596K	<i>Weizmannia coagulans</i> derived from ATCC® 7050™
0597K	<i>Klebsiella aerogenes</i> derived from NCIMB 10102
0598K	<i>Pseudomonas aeruginosa</i> derived from NCIMB 12469
0599K	<i>Acinetobacter baumannii</i> derived from NCIMB 12457
0602K	<i>Streptococcus dysgalactiae</i> subsp. <i>equisimilis</i> derived from ATCC® 12394™
0603K	<i>Streptococcus dysgalactiae</i> subsp. <i>equisimilis</i> derived from ATCC® 12388™
0604K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Pullorum derived from ATCC® 13036™
0605K	<i>Staphylococcus xylosus</i> derived from ATCC® 29971™
0607K	<i>Proteus mirabilis</i> derived from ATCC® 7002™
0617K	<i>Escherichia coli</i> (O157:H7) derived from ATCC® 35150™ - EXPORT LICENSE
0618K	<i>Parabacteroides distasonis</i> derived from ATCC® 8503™
0619K	<i>Bacteroides uniformis</i> derived from ATCC® 8492™
0620K	<i>Haemophilus influenzae</i> derived from ATCC® 9006™
0621K	<i>Oligella urethralis</i> derived from ATCC® 17960™
0622K	<i>Moraxella catarrhalis</i> derived from ATCC® 8176™

品番	属種
0623K	<i>Enterococcus durans</i> derived from ATCC® 11576™
0626K	<i>Klebsiella oxytoca</i> derived from ATCC® 49131™
0627K	<i>Pseudomonas putida</i> derived from ATCC® 49128™
0628K	<i>Staphylococcus epidermidis</i> derived from ATCC® 49134™
0629K	<i>Staphylococcus gallinarum</i> derived from ATCC® 49148™
0630K	<i>Streptococcus pasteurianus</i> derived from ATCC® 49133™
0631K	<i>Streptococcus gallolyticus</i> derived from ATCC® 49147™
0632K	<i>Streptococcus pneumoniae</i> derived from ATCC® 49136™
0633K	<i>Streptococcus pneumoniae</i> derived from ATCC® 49150™
0635K	<i>Acinetobacter</i> species derived from ATCC® 49139™
0637K	<i>Aeromonas hydrophila</i> derived from ATCC® 49140™
0638K	<i>Shewanella haliotis</i> derived from ATCC® 49138™
0639K	<i>Enterobacter cloacae</i> subsp. <i>cloacae</i> derived from ATCC® 49141™
0640K	<i>Proteus vulgaris</i> derived from ATCC® 49132™
0641K	<i>Ralstonia insidiosa</i> derived from ATCC® 49129™
0642K	<i>Moraxella catarrhalis</i> derived from ATCC® 49143™
0643K	<i>Gardnerella vaginalis</i> derived from ATCC® 49145™
0644K	<i>Haemophilus influenzae</i> derived from ATCC® 49144™
0645K	<i>Aggregatibacter aphrophilus</i> derived from ATCC® 49146™
0646K	<i>Neisseria lactamica</i> derived from ATCC® 49142™
0647K	<i>Haemophilus influenzae</i> derived from ATCC® 49247™
0648K	<i>Neisseria gonorrhoeae</i> derived from ATCC® 49226™
0650K	<i>Enterococcus hirae</i> derived from ATCC® 8043™
0651K	<i>Enterococcus durans</i> derived from ATCC® 6056™
0655K	<i>Bordetella bronchiseptica</i> derived from ATCC® 10580™
0656K	<i>Streptococcus equi</i> subsp. <i>equi</i> derived from ATCC® 9528™
0660K	<i>Trueperella pyogenes</i> derived from ATCC® 19411™
0661K	<i>Erysipelothrix rhusiopathiae</i> derived from ATCC® 19414™
0668K	<i>Pasteurella multocida</i> subsp. <i>multocida</i> derived from ATCC® 12945™
0669K	<i>Kocuria rhizophila</i> derived from ATCC® 9341a™
0670K	<i>Kocuria rhizophila</i> derived from ATCC® 15957™
0671K	<i>Bordetella bronchiseptica</i> derived from ATCC® 4617™
0674K	<i>Clostridium perfringens</i> derived from ATCC® 12919™- EXPORT LICENSE
0676K	<i>Clostridium sporogenes</i> derived from ATCC® 3584™
0677K	<i>Enterococcus faecium</i> derived from ATCC® 6569™
0678K	<i>Enterococcus hirae</i> derived from ATCC® 10541™
0679K	<i>Enterococcus faecium</i> derived from ATCC® 27270™
0680K	<i>Escherichia coli</i> derived from ATCC® 10536™
0681K	<i>Escherichia coli</i> derived from ATCC® 11229™
0683K	<i>Klebsiella pneumoniae</i> subsp. <i>pneumoniae</i> derived from ATCC® 4352™
0684K	<i>Klebsiella pneumoniae</i> subsp. <i>pneumoniae</i> derived from ATCC® 10031™
0685K	<i>Klebsiella pneumoniae</i> subsp. <i>pneumoniae</i> derived from ATCC® 27736™
0686K	<i>Listeria monocytogenes</i> derived from ATCC® 19114™
0687K	<i>Listeria monocytogenes</i> derived from ATCC® 19115™

品番	属種
0688K	<i>Kocuria rhizophila</i> derived from ATCC® 9341™
0689K	<i>Micrococcus luteus</i> derived from ATCC® 10240™
0690K	<i>Proteus mirabilis</i> derived from ATCC® 25933™
0691K	<i>Proteus vulgaris</i> derived from ATCC® 8427™
0693K	<i>Pseudomonas aeruginosa</i> derived from ATCC® 15442™
0695K	<i>Pseudomonas aeruginosa</i> derived from ATCC® 25619™
0697K	<i>Rhodococcus equi</i> derived from ATCC® 6939™
0698K	<i>Saccharomyces kudriavzevii</i> derived from ATCC® 2601™
0699K	<i>Saccharomyces cerevisiae</i> derived from ATCC® 9763™
0701K	<i>Malassezia furfur</i> derived from ATCC® 14521™
0702K	<i>Pseudomonas putida</i> derived from ATCC® 31483™
0703K	<i>Pluralibacter gergoviae</i> derived from ATCC® 33028™
0706K	<i>Escherichia coli</i> derived from NCTC 10538
0709K	<i>Streptococcus agalactiae</i> (B) derived from NCIMB 701348
0710K	<i>Streptococcus agalactiae</i> derived from NCTC 9993
0712K	<i>Campylobacter jejuni</i> subsp. <i>jejuni</i> derived from NCTC 13367
0713K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from NCTC 12973
0714K	<i>Enterococcus faecalis</i> derived from NCTC 13379
0718K	<i>Campylobacter jejuni</i> subsp. <i>jejuni</i> derived from NCTC 11322
0720K	<i>Vibrio furnissii</i> derived from NCTC 11218
0721K	<i>Mycobacterium smegmatis</i> derived from ATCC® 14468™
0726K	<i>Candida parapsilosis</i> derived from ATCC® 22019™
0727K	<i>Listeria monocytogenes</i> derived from ATCC® 15313™
0728K	<i>Thermoanaerobacterium thermosaccharolyticum</i> derived from ATCC® 7956™
0736K	<i>Saccharomyces cerevisiae</i> derived from NCYC 79
0737K	<i>Candida glabrata</i> derived from ATCC® 15126™
0738K	<i>Meyerozyma guilliermondii</i> derived from ATCC® 6260™
0739K	<i>Staphylococcus lentus</i> derived from ATCC® 700403™
0740K	<i>Micrococcus species</i> derived from ATCC® 700405™
0741K	<i>Staphylococcus xylosus</i> derived from ATCC® 700404™
0742K	<i>Stenotrophomonas maltophilia</i> derived from ATCC® 51331™
0743K	<i>Streptococcus equi</i> subsp. <i>zooepidemicus</i> derived from ATCC® 700400™
0744K	<i>Streptococcus uberis</i> derived from ATCC® 700407™
0746K	<i>Aerococcus viridans</i> derived from ATCC® 700406™
0747K	<i>Escherichia coli</i> derived from ATCC® 13706™
0749K	<i>Capnocytophaga sputigena</i> derived from ATCC® 33612™
0750K	<i>Actinomyces viscosus</i> derived from ATCC® 15987™
0754K	<i>Brevundimonas diminuta</i> derived from ATCC® 11568™
0755K	<i>Enterobacter hormaechei</i> derived from ATCC® 700323™
0756K	<i>Cronobacter muytjensii</i> derived from ATCC® 51329™
0757K	<i>Klebsiella oxytoca</i> derived from ATCC® 700324™
0759K	<i>Stenotrophomonas maltophilia</i> derived from ATCC® 17666™
0761K	<i>Enterococcus casseliflavus</i> derived from ATCC® 700327™
0763K	<i>Streptococcus pneumoniae</i> derived from ATCC® 6301™

品番	属種
0764K	<i>Staphylococcus sciuri</i> subsp. <i>sciuri</i> derived from ATCC® 29061™
0766K	<i>Kocuria rosea</i> derived from ATCC® 186™
0774K	<i>Candida lusitanae</i> derived from ATCC® 34449™
0778K	<i>Cutaneotrichosporon dermatis</i> derived from ATCC® 204094™
0779K	<i>Candida utilis</i> derived from ATCC® 9950™
0780K	<i>Prototheca wickerhamii</i> derived from ATCC® 16529™
0781K	<i>Cryptococcus neoformans</i> derived from ATCC® 204092™
0783K	<i>Listeria monocytogenes</i> derived from NCTC 10890
0784K	<i>Klebsiella quasipneumoniae</i> derived from ATCC® 700603™
0791K	<i>Escherichia coli</i> derived from ATCC® 51813™
0794K	<i>Penicillium venetum</i> derived from ATCC® 16025™
0795K	<i>Escherichia coli</i> (O157:H7) derived from ATCC® 43888™
0799K	<i>Bacillus licheniformis</i> derived from ATCC® 14580™
0800K	<i>Candida albicans</i> derived from ATCC® 24433™
0801K	<i>Clostridium perfringens</i> derived from ATCC® 12915™
0802K	<i>Listeria seeligeri</i> derived from ATCC® 35967™
0803K	<i>Zygosaccharomyces rouxii</i> derived from ATCC® 28253™
0804K	<i>Micrococcus luteus</i> derived from ATCC® 49732™
0805K	<i>Brevundimonas diminuta</i> derived from ATCC® 19146™
0806K	<i>Serratia marcescens</i> derived from ATCC® 14756™
0809K	<i>Candida krusei</i> derived from ATCC® 14243™
0812K	<i>Bacillus licheniformis</i> derived from ATCC® 12759™
0813K	<i>Lactobacillus fermentum</i> derived from ATCC® 9338™
0814K	<i>Listeria innocua</i> (6a) derived from ATCC® 33090™
0815K	<i>Listeria ivanovii</i> subsp. <i>ivanovii</i> derived from ATCC® 19119™
0816K	<i>Listeria welshimeri</i> derived from ATCC® 35897™
0817K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar <i>Abaetetuba</i> derived from ATCC® 35640™
0818K	<i>Vibrio parahaemolyticus</i> derived from ATCC® 17802™
0819K	<i>Vibrio alginolyticus</i> derived from ATCC® 17749™
0826K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar <i>Abaetetuba</i> derived from Silliker® SLR156
0827K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 6538P™
0828K	<i>Clostridium bifermentans</i> derived from ATCC® 638™
0830K	<i>Pseudomonas aeruginosa</i> derived from NCTC 10662
0831K	<i>Staphylococcus aureus</i> derived from NCTC 6571
0832K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 51153™
0833K	<i>Clostridioides difficile</i> derived from ATCC® 43593™
0836K	<i>Burkholderia cenocepacia</i> derived from ATCC® 25608™
0838K	<i>Serratia liquefaciens</i> derived from ATCC® 27592™
0839K	<i>Morganella morganii</i> subsp. <i>morganii</i> derived from ATCC® 25830™
0840K	<i>Klebsiella michiganensis</i> derived from ATCC® 8724™
0841K	<i>Proteus vulgaris</i> derived from ATCC® 6896™
0842K	<i>Bordetella parapertussis</i> derived from ATCC® 15311™

品番	属種
0843K	<i>Bordetella pertussis</i> derived from ATCC® 9797™
0844K	<i>Corynebacterium diphtheriae</i> derived from ATCC® 13812™
0845K	<i>Edwardsiella tarda</i> derived from ATCC® 15947™
0847K	<i>Candida tropicalis</i> derived from ATCC® 750™
0851K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Poona derived from NCTC 4840
0852K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 43300™
0853K	<i>Pseudomonas stutzeri</i> derived from ATCC® 17588™
0856K	<i>Listeria grayi</i> derived from ATCC® 25401™
0857K	<i>Enterococcus raffinosus</i> derived from ATCC® 49464™
0858K	<i>Streptococcus sanguinis</i> derived from ATCC® 10556™
0859K	<i>Streptomyces griseus</i> subsp. <i>griseus</i> derived from ATCC® 10137™
0860K	<i>Escherichia coli</i> derived from ATCC® 51755™
0861K	<i>Escherichia coli</i> derived from NCTC 12900
0864K	<i>Streptococcus agalactiae</i> (B,lb) derived from ATCC® 12401™
0865K	<i>Streptococcus pneumoniae</i> derived from ATCC® 10015™
0866K	<i>Nocardia brasiliensis</i> derived from ATCC® 19296™
0867K	<i>Veillonella parvula</i> derived from ATCC® 10790™
0868K	<i>Oligella ureolytica</i> derived from ATCC® 43534™
0869K	<i>Escherichia coli</i> derived from ATCC® 51446™
0870K	<i>Aeromonas hydrophila</i> derived from ATCC® 7966™
0871K	<i>Geobacillus stearothermophilus</i> derived from ATCC® 7953™
0872K	<i>Geobacillus stearothermophilus</i> derived from ATCC® 12980™
0879K	<i>Providencia stuartii</i> derived from ATCC® 49809™
0880K	<i>Pseudomonas mosselii</i> derived from ATCC® 49838™
0881K	<i>Staphylococcus saprophyticus</i> derived from ATCC® 49907™
0883K	<i>Paenibacillus polymyxa</i> derived from ATCC® 842™
0884K	<i>Corynebacterium pseudodiphtheriticum</i> derived from ATCC® 10701™
0885K	<i>Lactobacillus acidophilus</i> derived from ATCC® 314™
0889K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 33592™
0890K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Abony derived from NCTC 6017
0891K	<i>Trichophyton tonsurans</i> derived from ATCC® 28942™
0893K	<i>Microsporium gypseum</i> derived from ATCC® 24102™
0894K	<i>Microsporium canis</i> derived from ATCC® 36299™
0895K	<i>Enterococcus gallinarum</i> derived from ATCC® 49573™
0896K	<i>Candida albicans</i> derived from ATCC® 2091™
0897K	<i>Candida tropicalis</i> derived from ATCC® 9968™
0900K	<i>Saccharomyces cerevisiae</i> derived from ATCC® 9080™
0901K	<i>Salmonella enterica</i> subsp. <i>arizonae</i> derived from ATCC® 13314™
0902K	<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Choleraesuis derived from ATCC® 10708™
0906K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 29737™
0907K	<i>Staphylococcus pseudintermedius</i> derived from ATCC® 49444™
0909K	<i>Yersinia enterocolitica</i> subsp. <i>enterocolitica</i> derived from ATCC® 27729™
0910K	<i>Aeromonas hydrophila</i> derived from ATCC® 35654™

品番	属種
0911K	<i>Alcaligenes faecalis</i> subsp. <i>faecalis</i> derived from ATCC® 35655™
0912K	<i>Porphyromonas gingivalis</i> derived from ATCC® 33277™
0919K	<i>Haemophilus influenzae</i> derived from ATCC® 49766™
0936K	<i>Eggerthella lenta</i> derived from ATCC® 43055™
0937K	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> derived from ATCC® 49476™
0938K	<i>Yersinia enterocolitica</i> subsp. <i>enterocolitica</i> derived from ATCC® 9610™
0939K	<i>Schaalia odontolytica</i> derived from ATCC® 17929™
0940K	<i>Bacteroides fragilis</i> derived from ATCC® 23745™
0942K	<i>Klebsiella pneumoniae</i> subsp. <i>pneumoniae</i> derived from ATCC® 35657™
0944K	<i>Proteus mirabilis</i> derived from ATCC® 35659™
0945K	<i>Staphylococcus saprophyticus</i> derived from ATCC® 49453™
0946K	<i>Staphylococcus warneri</i> derived from ATCC® 49454™
0947K	<i>Streptococcus pneumoniae</i> derived from ATCC® 49619™
0948K	<i>Sphingobacterium multivorum</i> derived from ATCC® 35656™
0950K	<i>Yarrowia lipolytica</i> derived from ATCC® 9773™
0951K	<i>Moraxella catarrhalis</i> derived from ATCC® 25238™
0952K	<i>Neisseria gonorrhoeae</i> derived from ATCC® 49981™
0953K	<i>Bacillus atrophaeus</i> derived from ATCC® 9372™
0957K	<i>Klebsiella pneumoniae</i> subsp. <i>pneumoniae</i> derived from ATCC® 33495™
0958K	<i>Parvimonas micra</i> derived from ATCC® 33270™
0959K	<i>Enterococcus faecalis</i> derived from ATCC® 51299™
0963K	<i>Staphylococcus capitis</i> subsp. <i>capitis</i> derived from ATCC® 35661™
0965K	<i>Corynebacterium pseudodiphtheriticum</i> derived from ATCC® 10700™
0967K	<i>Streptococcus dysgalactiae</i> subsp. <i>equisimilis</i> derived from ATCC® 35666™
0968K	<i>Enterococcus faecium</i> derived from ATCC® 35667™
0969K	<i>Streptococcus mutans</i> derived from ATCC® 35668™
0971K	<i>Elizabethkingia meningoseptica</i> derived from ATCC® 13253™
0973K	<i>Acinetobacter lwoffii</i> derived from ATCC® 17925™
0975K	<i>Pseudomonas aeruginosa</i> derived from ATCC® 35032™
0976K	<i>Staphylococcus epidermidis</i> derived from ATCC® 49461™
0978K	<i>Streptococcus</i> species derived from ATCC® 12392™
0979K	<i>Streptococcus pyogenes</i> (A,3) derived from ATCC® 12384™
0980K	<i>Lactococcus lactis</i> derived from ATCC® 49032™
0981K	<i>Candida albicans</i> derived from ATCC® 66027™
0982K	<i>Candida kefyr</i> derived from ATCC® 66028™
0983K	<i>Candida tropicalis</i> derived from ATCC® 66029™
0984K	<i>Cryptococcus albidus</i> derived from ATCC® 66030™
0985K	<i>Cryptococcus neoformans</i> derived from ATCC® 66031™
0986K	<i>Candida glabrata</i> derived from ATCC® 66032™
0987K	<i>Cryptococcus uniguttulatus</i> derived from ATCC® 66033™
0989K	<i>Lactobacillus rhamnosus</i> derived from ATCC® 9595™
0990K	<i>Candida kefyr</i> derived from ATCC® 2512™
0991K	<i>Papiliotrema laurentii</i> derived from ATCC® 66036™
0992K	<i>Candida glabrata</i> derived from ATCC® 2001™



品 番	属 種
0993K	Haemophilus influenzae derived from ATCC® 35056™
0994K	Streptococcus pyogenes derived from ATCC® 49399™
0995K	Mycobacterium gordonae derived from ATCC® 14470™
0998K	Bacillus cereus derived from ATCC® 10876™
0999K	Bacillus paranthracis derived from ATCC® 13061™

ATCC Licensed  
Derivative®

\* ATCC Licensed Derivative®のロゴ、マーク、ATCC のカタログマークは、ATCC の登録商標です。  
Microbiologics, Inc. は これらの商標の使用と、ATCC® カルチャーから派生した製品販売の許諾を受けています。

\* Microbiologics® は、Microbiologics, Inc. Saint Cloud, Minnesota の登録商標です。

\* KWIK-STIK™は、アメリカ合衆国及びその他各国で、Microbiologics, Inc. の商標です。



エンバイオ株式会社  
<http://www.enbio-japan.co.jp>